

Aires acondicionadosAires Acondicionados Residenciales**Aire Acondicionado Inverter Serie PS**

Cooling Capacity	Btu/h	36.000 Btu/h, (8,500-38,000 Btu)
	kW	10.55 (2.50 - 11.14)
	kJ/h	37,980 (9,000 - 40,104)
EER	Btu/hW	10,24
Electrical data	Voltage (V)	220
	Running Current (A)	16.8
	Power Input (W)	3,515 (500 - 4,200)
Moisture Removal	L/h	6.0
	Pt/h	12.7
Air Circulation (Indoor / Hi)	m ³ /min.	25.0
Dimensions	Height (mm)	295 (1,046)
	Width (mm)	1,160 (880)
	Depth (mm)	255 (340)
Net weight (kg)	Indoor (Outdoor)	20 (172)
Refrigerant Pipe Diameter	Liquid Side (mm)	ø 6,35
	Gas Side (mm)	ø 15,88
Pipe Extension	Chargeless Pipe Length (m)	10
	Maximum Pipe Length (m)	30
	Additional Refrigerant Gas * (g/m)	30
Note	<p>Caution (Important) Please do not use copper pipes that are less than 0.6mm in thickness.</p> <p>When pipes are not extended from the standard pipe length, the required amount of refrigerant is already in the unit.</p>	

